

# **ETRYST**™ **350**



## **MOTOR**

4.0 KW Peak  
2.5 KW Nominal  
BLDC Hub Motor

## **BATTERY**

3.5 KWH  
Lithium Ion Battery  
NMC Chemistry

## **TOP SPEED**

85 KMPH

## **GRADEABILITY**

16 Degrees

## **CHARGER**

84 V 8A  
CC-CV Portable

## **CHARGING TIME\***

6 Hrs

## **LOAD CAPACITY**

160 Kgs

## **RIDE MODES**

Drive - 60 KMPH  
Cross Over - 75 KMPH  
Thrill - 85 KMPH



## TYRE & BRAKING

Tyre:	F: 2.75-18   Tubeless R: 3.00-17   Tubeless
Wheel Size:	F: 457.2 mm R: 431.8 mm
Wheels Type:	Alloy
Brake:	F: 220 mm Disc R: 220 mm Disc
Tyre Pressure (Rider):	F: 34 psi R: 33 psi

## CONTROLLER & THROTTLE

Controller:	72 V 4 KW Vector Looped
BMS:	Active Balance 100 A
Torque at 60 KMPH:	60 NM
Starting:	Remote Start & Key Operation
**Acceleration:	0 - 40 KMPH in 04.4 Sec 0 - 60 KMPH in 07.4 Sec 0 - 75 KMPH in 11.6 Sec
Regenerative Braking:	Yes

\*\*Acceleration are considered for 75kgs payload



## DISPLAY & ELECTRICALS

Display:	7 inch LED
Speedometer:	Digital
Odometer:	Digital
Central Locking:	Yes
Passenger Footrest:	Yes
Headlight:	LED
Tail Light:	LED
Turn Signal Lamp:	LED
DRL:	LED

## BODY & SUSPENSION

Suspension:	F: Hydraulic Dual Suspension R: Hydraulic Dual Suspension
Saddle Height:	770 mm
Ground Clearance:	198 mm
Wheelbase:	1375 mm
Kerb Weight:	120 kg
Overall Length:	2040 mm
Centre Stand:	Yes



[www.pureev.in](http://www.pureev.in)

---

All the trademarks are owned by PUR ENERGY PVT LTD.

The company has the rights to change any specification, design or feature of the products at any point of time without any prior intimation and without any liability.  
For more details of our products please visit the company website.